

Pfizer vaccine kills more people than it saves

Steve Kirsch
Executive Director
COVID-19 Early Treatment Fund
stk@treatearly.org

VRBPAC Meeting
September 17, 2021



Departing FDA leaders join other experts in arguing against COVID-19 booster shots

BY NATHANIEL WEIXEL · 09/13/21 10:33 AM EDT

385 COMMENTS

I agree with [all their reasons](#).

Here are some **new ones** you haven't heard...

**Nobody is paying
attention
to the elephant in
the room**

All-cause mortality
(D:L ratio)



CDC:

Furthermore, a review of available clinical information, including death certificates, autopsy, and medical records, has **not established a causal link** to COVID-19 vaccines, says the CDC.

Over 14,000 death reports in VAERS and no causality?!?

All attempts to meet with the FDA and CDC to discuss this have been stonewalled.

Reference: [If Vaccine Adverse Events Tracking Systems Do Not Support Causal Inference, then "Pharmacovigilance" Does Not Exist](#)

Agenda

1. Excess Death:Life calculations→ **Unacceptable**
2. Elevation of Severe Adverse Events → **Unacceptable**
3. Pfizer clinical trial **fraud** never investigated → **Unacceptable**
4. Early treatment: the better alternative
5. What is happening in “the real world”

Excess Death:Life ratio is **UNACCEPTABLE**

Study source	Excess deaths required to save COVID life	Lives saved
Pfizer 6 month*	5	1
VAERS	2	1
Nursing home (booster)*	6	1

* Not statistically significant

People killed > People saved

Six Month Safety and Efficacy of the BNT162b2 mRNA COVID-19 Vaccine

Comments (186)

Stephen J. Thomas, Edson D. Moreira Jr., Nicholas Kitchin, Judith Absalon, Alejandra Gurtman, Stephen Lockhart, John I. Perez, Gonzalo Pérez Marc, Fernando P. Polack, Cristiano Zerhini, Ruth Bailey, Kara A. Swanson, Xia Yu

During the blinded, controlled period, 15 BNT162b2 and 14 placebo recipients died; during the open-label period, 3 BNT162b2 and 2 original placebo recipients who received BNT162b2 after unblinding died. None of these deaths were considered related to BNT162b2 by investigators. Causes of death were balanced between BNT162b2 and placebo groups (Table S4).

Pfizer Phase 3: 6 month study result

THE most definitive study on
all-cause mortality benefit is
NEGATIVE

Group	Deaths
Placebo	14
Vaccine	18

Excess Death:Life = 5:1

We killed 5 people to save a
COVID death (net 18-14=4 lives
lost) but this is not statistically
significant

VAERS excess deaths calculation

1. $(2927-500)*41 = 99,507$ actual deaths
2. $99507/217 = 458$ D/M doses

Notes:

1. [217M](#) is the number of Pfizer doses delivered
2. 41 is the [under-reporting factor \(URF\)](#) in VAERS this year for the COVID vaccines computed from anaphylaxis rates from the [JAMA paper](#).
3. 458 Deaths per Million Doses is just above the [worldwide average of 411](#) which is **demonstrated multiple independent ways**.



National Vaccine
Information Center
Your Health. Your Family. Your Choice.




[MedAlerts Home](#)

Search Results

From the 9/3/2021 release of VAERS data:

Found 2,927 cases where Location is U.S., Territories, or Unknown and Vaccine is COVID19 and Manufacturer is PFIZER/BIONTECH and Patient Died

Table

 Age	Count	  Percent
< 3 Years	2	0.07%
12-17 Years	12	0.41%
17-44 Years	139	4.75%
44-65 Years	473	16.16%
65-75 Years	619	21.15%
75+ Years	1,414	48.31%
Unknown	268	9.16%
TOTAL	2,927	100%

VAERS D:L calculation

Last 6 month COVID deaths assuming
90% death reduction = $91,868 \times .90 =$
82,681 lives saved per 360M doses
 $-82.681/360000 \times 1000000 = -230 \text{ D/M}$

$458/230=2$ per 6 month efficacy period

Category	Deaths per M doses
Est lives saved per M doses (last 6 mo)	-230
Excess deaths per M VAERS (Pfizer only)	458

Death:Life = 2:1

Nursing home

4 dead/7 hospitalized after Pfizer Booster
Save .68 life from COVID in 6 mo

Death:Life = 6:1

Assumptions:

1. 3% IFR for elderly and 30% get COVID in a year
2. Booster lasts for 6 months



Sunnycrest nursing home
Whitby, Ontario
136 beds

~411 deaths/M doses

Confirmed using five different methods
comprising 35% of the world's population

~ 150,000 excess deaths in America
caused by the vaccine

Adverse event table (partial list)

Symptom	X factor
Pulmonary embolism	473
Stroke	326
Deep vein thrombosis	264.3
Thrombosis	250.5
Fibrin D dimer increased	220.8
Appendicitis	145.5
Tinnitus	97.3
Cardiac arrest	71
Death	58.1
Parkinson's disease	55
Slow speech	54.3
Aphasia (inability to talk)	52.3

Full list: [Estimating the number of COVID vaccine deaths in America](#)


Cardiac arrest example

71X elevated vs. baseline

(avg over 5 years for all vaccines; $57/4 \times 5 = 71$)

NB: VAERS reporting propensity is unchanged from previous years → These are real elevations

Note: The 71X factor is in a period shortly after vaccination and not the entire year!

**National Vaccine Information Center**
Your Health. Your Family. Your Choice.




[MedAlerts Home](#)


Search Results

From the 9/3/2021 release of VAERS data:

Found 4 cases where Age is 20-or-more-and-under-60 and Symptom is Cardiac arrest and Patient Died and Date of Death from '2015-01-01' to '2019-12-31'

Table

 Age	Count	  Percent
17-44 Years	3	75%
44-65 Years	1	25%
TOTAL	4	100%

**National Vaccine Information Center**
Your Health. Your Family. Your Choice.




[MedAlerts Home](#)

Search Results

From the 9/3/2021 release of VAERS data:

Found 57 cases where Age is 20-or-more-and-under-60 and Location is U.S., Territories, or Unknown and Vaccine is COVID19 and Manufacturer is PFIZER/BIONTECH and Symptom is Cardiac arrest and Patient Died

Table

 Age	Count	  Percent
17-44 Years	18	31.58%
44-65 Years	39	68.42%
TOTAL	57	100%



Dr. Vinay Julapalli, MD

Interventional Cardiology

Houston Methodist

STEMIs elevated by **2x to 3x**
after vaccine rollout

“I’ve NEVER seen that before.”

**1 in 317 boys (16-17)
will get myocarditis from
the vaccine**

**After the booster it
could be 1 in 25**

Reporting rates of myopericarditis (per million doses administered), by manufacturer, sex, and dose number, 7-day risk period* (as of Aug 18, 2021)

	Pfizer		Moderna		Janssen	Pfizer		Moderna		Janssen	Pfizer		Moderna		Janssen
	(All)		(All)		(All)	(Males)		(Males)		(Males)	(Females)		(Females)		(Females)
Ages† (yrs)	Dose 1	Dose 2	Dose 1	Dose 2	Dose 1	Dose 1	Dose 2	Dose 1	Dose 2	Dose 1	Dose 1	Dose 2	Dose 1	Dose 2	Dose 1
12-15	2.6	20.9	0.0	not calc.	0.0	4.8	42.6	0.0	not calc.	0.0	0.5	4.3	0.0	0.0	0.0
16-17	2.5	34.0	0.0	14.6	0.0	5.2	71.5	0.0	31.2	0.0	0.0	8.1	0.0	0.0	0.0
18-24	1.1	18.5	2.7	20.2	2.7	2.4	37.1	5.1	37.7	3.0	0.0	2.6	0.7	5.3	1.6
25-29	1.0	7.2	1.7	10.3	1.9	1.8	11.1	3.2	14.9	2.0	0.3	1.3	0.4	6.3	0.0
30-39	0.8	3.4	1.0	4.2	0.4	1.1	6.8	1.6	8.0	0.0	0.6	1.0	0.4	0.7	1.0
40-49	0.4	2.8	0.5	3.2	1.2	0.7	4.4	0.6	4.6	2.2	0.1	1.8	0.4	2.1	0.0
50-64	0.2	0.5	0.6	0.8	0.2	0.2	0.5	0.4	1.0	0.0	0.3	0.8	0.8	0.7	0.5
65+	0.2	0.3	0.2	0.3	1.0	0.2	0.4	0.4	0.4	1.0	0.2	0.4	0.1	0.2	0.9



* Reports with time to symptom onset within 7 days of vaccination

† Reports among persons 12-29 years of age were verified by provider interview of medical record review

13

Note:

Two dose calc: $1000000 / ((5.2 + 71.5) * 41) = 317$ (note 41 is the URF)


Third dose calc: $1000000 / (71.5 * 13.75 * 41) = 25$

Assumes each dose increases SAE rate by 13.75 ($= 71.5 / 5.2$) in that age range

Reference: John Su, [Safety update for COVID-19 vaccines: VAERS](#)

15

Guess when Israel started their booster program? **Yup. July 30.**



More booster deaths

This is a brief from a regional association of physicians in Germany to their members.

Informing them about an incident in a nursing home where 90 inhabitants were given the third booster shot. Out of this resulted 1 death, two resuscitations, and 9 critically ill with cardiopulmonary symptoms.

"Given the fact that neither German authorities (PEI) nor European Medicines Agency EMA has approved this booster," the association is urging the members to seriously reconsider the need for a booster as of now.

07.09.2021-15:01

+49 211 5970 33125

KV Nordrhein Düsseldorf

S. 2/2



Kassenärztliche
Vereinigung
NORDRHEIN

KV Nordrhein | Kreisstelle Mönchengladbach | Ludwig-Weber-Str. 15 | 41061 Mönchengladbach

Körperschaft des öffentlichen Rechts

An alle
zugelassenen Ärzte/-innen
Ermächtigte Ärzte/-innen

Postadresse:
KV Nordrhein
40182 Düsseldorf

in Mönchengladbach

Ihr Ansprechpartner:
Kontakt: Kioppenburg, Birgit
Telefon: 02161 567492
Telefax: 02161 567856
E-Mail: kreis.moenchengladbach@kvno.de
Datum: 07.09.2021

Ihr Zeichen

Ihre Nachricht vom

Unser Zeichen

COVID-19 (Stand 07.09.2021)

Sehr geehrte, liebe Kolleginnen und Kollegen,

kurz eine sehr **wichtige Info** zum Impfgeschehen!

In Oberhausen hat es nach Durchführung von 90 Auffrischungsimpfungen in einem ASB Haus zahlreiche schwere Komplikationen, davon ein Todesfall und 2 Reanimationen gegeben.

Insgesamt sind von 90 Impfungen 9 heftig erkrankt, überwiegend mit kardiopulmonalen Problemen. Entsprechende Meldungen an das Paul-Ehrlich-Institut, das Gesundheitsamt und die KVNO sind erfolgt, die notwendigen Untersuchungen laufen.


Wir müssen Sie zeitnah über die Vorkommnisse informieren, zumal weder eine arzneimittelrechtliche Zulassung durch die EMA noch eine STIKO Empfehlung für diese Auffrischungsimpfungen derzeit existieren!


Ich möchte Sie herzlich bitten, selber ärztlich zu entscheiden, ob Sie nicht lieber auf die Zulassung oder Empfehlung warten wollen, oder Sie diese Auffrischungsimpfung tatsächlich für so dringlich halten, dass diese auch ohne Empfehlung der STIKO oder CoronaimpV-konforme Zulassung durchgeführt werden müsste.

Wir halten Sie natürlich auf dem Laufenden.

Mit herzlichen Grüßen

Ihre


Dr. med. A. Theilmeier
Vorsitzender der KSMG
der Kassenärztlichen Vereinigung


Dr. med. H. Hüren
Vorsitzender der KSMG
der Ärztekammer

Why didn't anyone ask any questions about the gaming in the Phase 3 trial?!? **This is unlikely to happen by chance ($p < 0.00001$).**

Pfizer-BioNTech COVID-19 Vaccine
VRBPAC Briefing Document

Table 2. Efficacy Populations, Treatment Groups as Randomized

	BNT162b2 (30 µg) n ^a (%)	Placebo n ^a (%)	Total n ^a (%)
Randomized ^b	21823 (100.0)	21828 (100.0)	43651 (100.0)
Participants excluded from evaluable efficacy (14 days) population	1790 (8.2)	1585 (7.3)	3375 (7.7)
Reason for exclusion ^c			
Randomized but did not meet all eligibility criteria	36 (0.2)	26 (0.1)	62 (0.1)
Did not provide informed consent	1 (0.0)	0	1 (0.0)
Did not receive all vaccinations as randomized or did not receive Dose 2 within the predefined window (19- 42 days after Dose 1)	1550 (7.1)	1561 (7.2)	3111 (7.1)
Had other important protocol deviations on or prior to 7 days after Dose 2	311 (1.4)	60 (0.3)	371 (0.8)
Had other important protocol deviations on or prior to 14 days after Dose 2	311 (1.4)	61 (0.3)	372 (0.9)

^an = Number of participants with the specified characteristic.

^bThese values are the denominators for the percentage calculations.

^cParticipants may have been excluded for more than 1 reason.

Note: 100 participants, 12 through 15 years of age with limited follow-up, are included in the randomized population (49 in the vaccine

Why hasn't the FDA investigated the Maddie de Garay trial fraud?


1. She was in the [Pfizer Phase 3 12-15 year old trial](#)
2. She was 1 of just 1,131 kids in treatment arm
3. She was paralyzed less than 24 hours after her second Pfizer shot, but Pfizer reported her case as "abdominal pain" rather than "permanent paralysis."
4. Today, she has no feeling below her waist, she can't hold her head up on her own, she has to eat through a feeding tube.
5. It isn't clear she will improve over time.
6. Physicians don't know how to treat her.
7. She was never ejected from the trial.
8. FDA Commissioner Janet Woodcock promised an investigation.
9. She's never been contacted by the FDA or CDC on the fraud allegation.
10. She has received \$0 in compensation. **ZERO.**



Early treatment benefits

1. Higher relative risk reduction (over 99%)
2. Simple prophylaxis protocols be used to prevent infection with up to 100% success without the use of any drugs whatsoever
3. Greater safety (minor temporary side effects, known safety profile)
4. They lower both all-cause mortality and all-cause morbidity
5. They work equally well on all variants
6. They do not promote escape variants
7. They do not cause vaccine enhanced infectivity/replication
8. They do not risk original antigenic sin (linked-epitope suppression)
9. They do not cause prion diseases
10. They prevent long-haul COVID syndrome nearly 100% of the time
11. They enable people to acquire recovered immunity which is both 13X to 27X stronger and more durable than vaccine-induced immunity

People are trying to
send you a message
... are you listening?



Charlamaine Butler

Lost a 39 & 28 year old friend to their booster shot(edit 2nd shot) . Also a friend's 19 year old daughter had massive blood clots in her lungs after her shot. Think I'll stick with not being vaccinated. All the ones I know in the ICU or that have recently died with "covid" are fully vaccinated.



on Sun Like Reply More

See WXYZ-TV's [Facebook post](#) for > 10,000 stories like these

What do you say
to the victims?



2.4K

4.5K

13.1K



Ernest Ramirez
@rgyranner01

My good byes to my Baby
Boy ❤️❤️❤️

7:44 PM · Sep 13, 2021 · Twitter for iPhone

3,509 Retweets 991 Quote Tweets

13.1K Likes



Tweet your reply

Reply



Miestro47 @miestro47 · 15h

Replying to @rgyranner01

I'm so sorry for your loss. I'm heartbroken for you and the fact that the media doesn't want to highlight your story from obvious reasons. Your son is with the Lord now. May God be with you and your family during this painful time ❤️



25



431



Myron T. Moore @myr... · 9h

Replying to @rgyranner01

This picture should send a strong message to the world. This is the end result for many from the experimental Jab. Mr. Ramirez has been trying to warn others. He is being censored like the rest of us. My guess, Mr. Ramirez has committed to warn others about the dangers of the Jab



18



375



1.4K



susan @susan82130766 · 6h

I'm am so sorry for your loss. Everyone is behind you spirit. Your

VAERS ID: 1466009 ●

ONSET: 27 days **AGE:** 16 **SEX:** M

My son died, while taking his math class on Zoom. We are waiting for the autopsy because the doctors did not find anything. He was a healthy boy, he had a good academic index, he wanted to be a civil engineer. He was the best thing in my life.

READ FULL REPORT >

VACCINE TYPE(S): COVID19

VACCINE NAME(S): COVID19 (COVID19 (PFIZER-BIONTECH))

SYMPTOM(S): AUTOPSY, DEATH

An aerial photograph of the New York City skyline at dusk. The sky is a mix of dark purple, blue, and orange. The city is densely packed with skyscrapers, many of which are illuminated with their interior lights. The Empire State Building is prominent in the center, with its top lit in red and green. The Hudson River is visible on the right side of the image.

Appendix

Dr. Peter Schirmacher

1. Chief pathologist at the University of Heidelberg
2. One of top 100 pathologists in the world
3. Member German National Academy of Sciences
4. h-index: 100 (38,730 citations)
5. Did autopsy on 40 people who died within 2 weeks of vaccine → **“30% to 40% died from the vaccine”**

→ **“Nobody has died from the vaccine” is a lie.**

Why isn't this covered in the US mainstream media?

Reference: [Chief pathologist insists on more autopsies of vaccinated people](#)

August 1, 2021, 9:53 a.m. Science - Heidelberg

Chief pathologist insists on more autopsies of vaccinated people



Peter Schirmacher, Managing Director of the Pathological Institute at Heidelberg University Hospital. Photo: Uli Deck / dpa (Photo: dpa)